



NOTES:


REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
A	FULL RELEASE	2023/11/12	CT




Victaulic Hydraulic Connections



[31.5]
800.0
Front View



Rear View



PROPRIETARY AND CONFIDENTIAL
THIS DRAWING AND ITS SPECIFICATIONS ARE THE PROPERTY OF INOVA AND SHALL NOT BE COPIED, REPRODUCED, OR USED IN WHOLE OR IN PART, AS THE BASIS FOR THE MANUFACTURE OR SALE OF ITEMS WITHOUT THE WRITTEN PERMISSION FROM INOVA. THIS DRAWING IS BASED UPON THE LATEST AVAILABLE INFORMATION AND IS SUBJECT TO CHANGE WITHOUT NOTICE.

UNLESS OTHERWISE SPECIFIED

X = ± 1
X.X = ± 0.5
X.XX = ± 0.30
X.XXX = ± 0.130
ANGULAR
X = 1°
.X = 0.5°
.XX = 0.25°

UNITS: mm [in]



INTERPRET TO ASME Y14.100

DESCRIPTION:
INROW CDU , THERMAL CAPACITY 1107 KW

MATERIAL: N/A FINISH: RAL9005 RAL7016

DEBURR AND BREAK SHARP EDGES/CONTOURS AT 0.2mm MAX CLASS: A

DRAWING NO:
ICDU1100

NAME	DATE
DRAWN BY PHILI FENG	2023/11/12
APP. BY PHILI FENG	2023/11/12

SCALE: 1:20 WEIGHT:

REV NO:
A
SIZE:
B

COMMENTS:
SHEET: 1 OF 1